

**DIRECTORATE GENERAL NATIONAL DISASTER RESPONSE FORCE**  
**EAST BLOCK-07, LEVEL-07, R K PURAM NEW DELHI-110066 (INDIA)**  
**(TEL/FAX NO 011-26105912)**



**CORRIGENDUM NOTICE NO. 01**

**(Consisting of 01 page only)**

With reference to discussion/clarifications on points/suggestions relating to commercial/Technical terms & conditions, following changes/amendments be incorporated in the relevant terms and conditions given in our Tender Enquiry No.1-17018/101(30)/PROC/DG-NDRF/2011/4730 dated 29.07.2011 for procurement of 60 Nos Multigas Detector (30 Nos Chemical Agent Monitor & 30 Nos Biological Agent Monitor for NDRF.

S.N	FOR CLAUSE	READ AS
01	<b><u>SPECIAL INSTRUCTIONS, SCHEDULE-II OF TENDER ENQUIRY AT PAGE NO 11</u></b> 1. Time & date of receipt of Tender: 21 Sept -2011 at 1100 hrs 2. Time & date for opening of Tender: 21 Sept -2011 at 1130 hrs	<b><u>SPECIAL INSTRUCTIONS, SCHEDULE-II OF TENDER ENQUIRY AT PAGE NO 11</u></b> 1. Time & date of receipt of Tender: 30 Sept -2011 at 1100 hrs 2. Time & date for opening of Tender: 30 Sept -2011 at 1130 hrs

Note: - (a) Remaining terms and conditions of the TE will remain unchanged.  
(b) **Any changes/modifications in this Tender enquiry will be intimated through our websites [www.ndma.gov.in](http://www.ndma.gov.in) & [www.tenders.gov.in](http://www.tenders.gov.in) only.** As such, the tenderers are requested to visit our websites regularly.

No. 1-17018/101(30)/PROC/DG-NDRF/2011 - 6571

Dated, the SEPT, 2011

Dy. Commandant  
(Procurement)  
16/09/11  
Dy. CMDT (PROC)  
Directorate General (NDRF)  
Ministry of Home Affairs  
For and on Behalf of President of India  
New Delhi