





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Friday, May 09, 2025 Time of Issue: 2000 hours IST (NIGHT)

All India Impact Based Weather Warning Bulletin

Weather Warnings for next 7 days is given below: (Graphics for warnings & rainfall distribution (Table 1) are given below the text:

09th May (Day 1)

- **Heavy Rainfall** very likely at isolated places over Tamilnadu & Puducherry.
- Thundersquall with wind speed reaching(50-60kmph) very likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, Gujarat and Rajasthan.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Haryana, Chandigarh & Delhi, Himachal Pradesh, Jammu-Kashmir and Ladakh, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, North Interior Karnataka, Rayalaseema and Uttarakhand.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Assam & Meghalaya, Marathwada, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Tamilnadu & Puducherry, Telangana and Uttar Pradesh.
- Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Nagaland, Manipur, Mizoram and Tripura, Punjab and Vidarbha.
- Hot and Humid Weather very likely at isolated places over Assam & Meghalaya, Gangetic West Bengal, Kerala and Mahe, Tripura and Odisha.

10th May (Day 2)

- **Heavy Rainfall** very likely at isolated places over Arunachal Pradesh.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Chhattisgarh, Gujarat, Himachal Pradesh, Jammu and Kashmir and Ladakh, Konkan & Goa, Madhya Maharashtra, Madhya Pradesh, North Interior Karnataka, Rajasthan and Uttarakhand.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andhra Pradesh, Assam & Meghalaya, Marathwada, Manipur, South Interior Karnataka, Sub Himalayan West Bengal & Sikkim, Telangana and Vidarbha.
- Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh, Costal Karnataka and Uttar Pradesh.
- **Heat Wave** very likely at isolated places over Gangetic West Bengal.
- Hot and Humid Weather very likely at isolated places over Assam & Meghalaya, Bihar, Jharkhand, Kerala and Mahe, Tripura and Odisha.





11th May (Day 3)

- Heavy Rainfall very likely at isolated places over Arunachal Pradesh, Assam & Meghalaya, Manipur and Sub Himalayan West Bengal & Sikkim.
- **Thundersquall with wind speed reaching(50-60kmph)** very likely at isolated places over Chhattisgarh.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) very likely at isolated places over Assam & Meghalaya, East Rajasthan, Haryana, Chandigarh & Delhi, Jammu and Kashmir and Ladakh, Madhya Pradesh, Maharashtra, Tripura, North Interior Karnataka, Punjab and Uttarakhand.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) very likely at isolated places over Andhra Pradesh, Costal Karnataka, Gujarat, South Interior Karnataka, Telangana, West Bengal & Sikkim and West Rajasthan.
- Thunderstorm accompanied with Lightning very likely at isolated places over Arunachal Pradesh and Himachal Pradesh.
- ◆ Heat Wave very likely at isolated places over Bihar, Odisha and West Bengal & Sikkim.
- Hot and Humid Weather very likely at isolated places over Jharkhand.

12th May (Day 4)

- Heavy to Very Heavy Rainfall likely at isolated places over Arunachal Pradesh and Sub Himalayan West Bengal & Sikkim.
- Heavy Rainfall likely at isolated places over Assam & Meghalaya and Tripura.
- Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Chhattisgarh, Telangana and Vidarbha.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Assam & Meghalaya, Gangetic West Bengal, Interior Karnataka, Kerala and Mahe, Madhya Maharashtra, Madhya Pradesh and Tripura.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Andhra Pradesh, Costal Karnataka, Rajasthan and Sub Himalayan West Bengal & Sikkim.
- **Thunderstorm accompanied with Lightning** likely at isolated places over Arunachal Pradesh.
- **Heat Wave** likely at isolated places over Bihar, Jharkhand, Odisha and West Bengal & Sikkim.





13th May (Day 5)

- Heavy to Very Heavy Rainfall likely at isolated places over Assam & Meghalaya.
- Heavy Rainfall likely at isolated places over Arunachal Pradesh, Mizoram and Sub Himalayan West Bengal & Sikkim
- Thundersquall with wind speed reaching(50-60kmph) likely at isolated places over Chhattisgarh, Coastal Andhra Pradesh, East Madhya Pradesh, Telangana and Vidarbha.
- Thunderstorm accompanied with lightning & gusty winds(40-50kmph) likely at isolated places over Assam & Meghalaya, Gangetic West Bengal, Interior Karnataka, Kerala and Mahe, Tripura, Rayalaseema and West Madhya Pradesh.
- Thunderstorm accompanied with lightning & gusty winds(30-40kmph) likely at isolated places over Costal Karnataka.
- Thunderstorm accompanied with Lightning likely at isolated places over Arunachal Pradesh, East Rajasthan and Tamilnadu & Puducherry.
- **Heat Wave** likely at isolated places over Bihar, Gangetic West Bengal, Jharkhand and Odisha.

14th May (Day 6)


- **Heavy Rainfall** likely at isolated places over Assam & Meghalaya.
- Thunderstorm accompanied with Lightning likely at isolated places over Nagaland, Manipur, Mizoram and Tripura.
- Heat Wave likely at isolated places over Bihar, East Uttar Pradesh, Gangetic West Bengal, Jharkhand and Odisha.

15th May (Day 7)

- **Heavy Rainfall** likely at isolated places over Assam & Meghalaya.
- **Heat Wave** likely at isolated places over East Uttar Pradesh.












National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences



- Action may be taken based on ORANGE AND RED COLOUR warnings.
- Vulnerable regions likely urban and hilly areas action may be initiated for heavy rainfall warning.
- As the lead period increases forecast accuracy decreases.





Table-1

S.		7 Days Rainfall Forecast						
No.	Subdivision	09- May	10- Мау	11- Мау	12- Мау	13- May	14- Мау	15- Мау
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
	ANDAMAN & NICOBAR ISLANDS	FWS	FWS	WS	WS	WS	WS	WS
	ARUNACHAL PRADESH	SCT	FWS	WS	WS	WS	FWS	FWS
	ASSAM & MEGHALAYA	SCT	SCT	FWS	WS	WS	WS	WS
	NAGALAND, MANIPUR, MIZORAM & TRIPURA	ISOL	ISOL	SCT	SCT	SCT	SCT	SCT
5 5	SUB-HIMALAYAN WEST BENGAL & SIKKIM	SCT	SCT	FWS	WS	WS	FWS	FWS
6 (GANGETIC WEST BENGAL	ISOL	DRY	ISOL	ISOL	ISOL	SCT	SCT
7 (ODISHA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
8 J	JHARKHAND	ISOL	DRY	DRY	DRY	ISOL	ISOL	ISOL
9 E	BIHAR	DRY	DRY	DRY	DRY	DRY	ISOL	ISOL
10 E	EAST UTTAR PRADESH	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
11 \	WEST UTTAR PRADESH	SCT	ISOL	DRY	DRY	DRY	DRY	DRY
12 l	UTTARAKHAND	SCT	SCT	SCT	ISOL	ISOL	ISOL	ISOL
13 H	HARYANA CHANDIGARH & DELHI	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
14 F	PUNJAB	ISOL	ISOL	SCT	ISOL	ISOL	ISOL	ISOL
15 H	HIMACHAL PRADESH	FWS	SCT	ISOL	ISOL	ISOL	ISOL	ISOL
16 J	JAMMU & KASHMIR AND LADAKH	FWS	SCT	SCT	SCT	ISOL	ISOL	ISOL
17 ۱	WEST RAJASTHAN	ISOL	ISOL	ISOL	ISOL	DRY	DRY	DRY
18 E	EAST RAJASTHAN	SCT	ISOL	ISOL	ISOL	ISOL	DRY	DRY
19 ۱	WEST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
20 E	EAST MADHYA PRADESH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
21 (GUJARAT REGION	FWS	SCT	ISOL	ISOL	ISOL	DRY	DRY
22 5	SAURASHTRA & KUTCH	FWS	SCT	ISOL	ISOL	ISOL	DRY	DRY
23 k	KONKAN & GOA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	DRY
24 M	MADHYA MAHARASHTRA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
25 N	MARATHAWADA	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
26 \	VIDARBHA	ISOL	ISOL	SCT	SCT	ISOL	ISOL	ISOL
27 (CHHATTISGARH	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL	ISOL
28 (COASTAL ANDHRA PRADESH & YANAM	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
29 1	TELANGANA	ISOL	SCT	ISOL	SCT	FWS	FWS	FWS
	RAYALASEEMA	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
	TAMILNADU PUDUCHERRY & KARAIKAL	ISOL	ISOL	ISOL	ISOL	SCT	SCT	SCT
	COASTAL KARNATAKA	DRY	ISOL	ISOL	SCT	SCT	FWS	FWS
	NORTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
	SOUTH INTERIOR KARNATAKA	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
	KERALA & MAHE	ISOL	ISOL	ISOL	SCT	SCT	FWS	FWS
	LAKSHADWEEP	DRY	SCT	SCT	SCT	SCT	FWS	FWS

• As the lead period increases forecast accuracy decreases.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact & Action Suggested due to heavy to very heavy rainfall over Arunachal Pradesh and Sub Himalayan West Bengal & Sikkim on 12th and Assam & Meghalaya on 13th May.

Impact Expected

- Localized Flooding of roads, water logging in low lying areas and closure of underpasses mainly in urban areas of the above region.
- Occasional reduction in visibility due to heavy rainfall.
- Disruption of traffic in major cities due to water logging in roads leading to increased travel time.
- Minor damage to kutcha roads.
- Possibilities of damage to vulnerable structure.
- Localized Landslides/Mudslides
- Damage to horticulture and standing crops in some areas due to inundation.
- It may lead to riverine flooding in some river catchments (for riverine flooding please visit Web page of CWC).

Action Suggested

- Check for traffic congestion on your route before leaving for your destination.
- Follow any traffic advisories that are issued in this regard.
- Avoid going to areas that face the water logging problems often.
- ✤ Avoid staying in vulnerable structure.

Impact expected and action suggested due to isolated thunderstorm with lightning/gusty & Squally winds & Hailstorm over

Thundersquall wind speed reaching 50-60 kmph gusting to 70 kmph over Rajasthan, Gujarat state on 09th May; Chhattisgarh during 09th-13th; Vidarbha on 12th & 13th and over East Madhya Pradesh on 13th May. Coastal Andhra Pradesh & Yanam on 09th & 13th; Telangana on 12th & 13th May.

Impact expected:

- Breaking of tree branches, uprooting of large avenue trees. Large dead limbs blown from trees. Damage to Standing crops.
- > Minor to Major damage to banana and papaya trees.
- > Minor to major damage to power and communication lines due to breaking of branches.
- Strong wind/hail may damage plantation, horticulture and standing crops.
- > Hail may injure people and cattle at open places.
- > Partial damage to vulnerable structures due to strong winds.
- Minor damage to kutcha houses/walls and huts.
- Loose objects may fly.

Action suggested:

- People are advised to keep a watch on the weather for worsening conditions and be ready to move to safer places accordingly.
- > Stay indoors, close windows & doors and avoid travel if possible.
- > Take safe shelters; do not take shelter under trees.
- > Do not lie on concrete floors and do not lean against concrete walls.
- > Unplug electrical/ electronic appliances.
- Immediately get out of water bodies.
- > Keep away from all the objects that conduct electricity.





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

Impact expected and action suggested due to Heat wave conditions over Sub-Himalayan West Bengal & Sikkim on 11th & 12th; Gangetic West Bengal during 10th-14th; Bihar, Odisha during 11th-14th; Jharkhand during 12th-14th; East Uttar Pradesh on 14th & 15th May.

Yellow alert Areas

- Moderate temperature & heat is tolerable for general public but moderate health concern likely for vulnerable people e.g. infants, elderly, people with chronic diseases.
- Avoid heat exposure.
- > Wear lightweight, light colour, loose, cotton clothes.
- > Cover your head, use a cloth, hat or umbrella.

Agromet advisories for likely impact of Hailstorm / Heavy Rainfall / Gusty Winds / Heat Wave

- In Arunachal Pradesh, Assam & Meghalaya, Manipur, Sub Himalayan West Bengal & Sikkim and Tamil Nadu, make provision to drain out excess water from standing crop and vegetable fields.
- Shift the harvested produce in safer places or cover the produce with tarpaulin sheets in the fields. Tie the harvested crops properly and cover them to minimise the risk of displacement due to strong surface winds.
- > Provide mechanical support to horticultural crops and staking to vegetables to avoid lodging.
- To protect standing crops, vegetables and orchards from the adverse effects of heat waves and high temperatures, apply light and frequent irrigation in the evening.

Livestock / Poultry / Fishery

- > Keep the animals inside the shed during heavy rainfall and provide them balanced feed.
- > Store feed and fodder in a safe place to prevent spoilage.
- Construct an outlet with proper netting around the ponds to drain out excess water, thereby preventing fish from escaping in case of overflow.

To reduce the effect of heat wave/high temperature, cover the roof of poultry sheds with grass. Also, provide clean, hygienic and plenty of drinking water to animals.

Amicxure 1




Years of Service to the Nation दाष्ट्र सेना के 150 वर्ष

राष्ट्रीय मौसम पूर्वानुमान केन्द्र भारत मौसम विज्ञान विभाग पृथ्वी विज्ञान मंत्रालय



National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

LEGENDS



76-100	Widespre	ad (WS/Most Places)	26-50	Scattered (S	CT/A Few Places)		
51-75	Fairly Widesp	oread (FWS/Many Places)	1-25	Isolo	ated (ISOL)		
E Fog		🚙 Heavy Snow -	- Cold Wa	COLOUR	R CODED WARNING		
— ¹⁰⁵			1	No Wo	No Warning (No Action)		
💏 Heavy Rai	in	Dust Storm -	- Cold Da	y Watel	Watch (Be Aware)		
🜧 Very Heav	vy Rain]+ Heat Wave	Ground	Frost Alert (Alert (Be Prepared To Take Action)		
Extremely		+ Warm Night		Warni	Warning (Take Action)		
	Thundar & Lightning			Pro	babilistic Forecast		
Thunder	& Lightning	+ Hot Day		Terms			
🛖 Hailstorm	n	🜓 Hot & Humid		Unlikely	25 - 50		
Dust Raisi	ng Winds	Strong Surface Winds		Very Like Most Like			
		10					





National Weather Forecasting Centre India Meteorological Department Ministry of Earth Sciences

ain/ Snow *	Heavy: 64.5 to 115.5 mm/cm * Very Heavy: 115.6 to 204.4 mm/cm * Extremely Heavy: > 204.4 mm/cm *
	When maximum temperature of a station reaches ≥40° C for plains and ≥30° C for hilly regions (a) Based on Departure from normal
	Heat Wave: Maximum Temperature Departure from normal 4.5° C to 6.4° C.
leat Wave	Severe Heat Wave: Maximum Temperature Departure from normal ≥6.5° C
leat wave	(b). Based on Actual maximum temperature Heat Wave: When actual maximum temperature ≥45°C.
	Severe Heat Wave: When actual maximum temperature ≥47°C
	(c). Criteria for heat wave for coastal stations When maximum temperature departure is >4.5°C from normal. Heat Wave may be described provided maximum temperature ≥37°C
	When maximum temperature remains 40°C
/arm Night	Warm Night: When minimum temperature departure 4.5 °C to 6.4 °C.
	Severe Warm Night: When minimum temperature departure >6.4 °C.
	When minimum temperature of a station ≤10°C for plains and ≤0°C for hilly regions. (a). Based on departure
	Cold Wave: Minimum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Wave: Minimum Temperature Departure from normal ≤ -6.5 °C
Cold Wave	(b) Based on actual Minimum Temperature (for Plains only)
	Cold Wave : When Minimum Temperature is ≤ 4.0 °C
	Severe Cold Wave: When Minimum Temperature is ≤ 2.0 °C
	(c) For Coastal Stations When Minimum Temperature departure is ≤-4.5 °C & actual Minimum Temperature is ≤ 15 °C
	When minimum temperature of a station $\leq 10^{\circ}$ C for plains and $\leq 0^{\circ}$ C for hilly regions Based on departure
Cold Day	Cold Day: Maximum Temperature Departure from normal -4.5 °C to -6.4 °C.
	Severe Cold Day: Maximum Temperature Departure from normal ≤ -6.5 °C
	Phenomenon of small droplets suspended in air and the horizontal visibility < 1km Moderate Fog: When the visibility between 500-200 metres
Fog	Dense Fog: when the visibility between 50-200 metres
	Very Dense Fog: when the visibility < 50 metres
understorm	Sudden electrical discharges manifested by a flash of light (Lightning) and a sharp rumbling sound (thunder)
Dust/Sand Storm	An ensemble of particles of dust or sand energetically lifted to great heights by a strong and turbulent wind.
	Ice deposits on ground
Frost	Air temperature ≤4°C (over Plains)
	A strong wind that rises suddenly, lasts for atleast 1 minute.
Squall	Moderate: Wind speed 52-61 kmph Severe: Wind speed 62-87 kmph
	Very Severe: Wind speed >87 kmph
	Effect of various waves in the sea over specific area Rough to very rough: Wind speed 41-62 kmph (22-33 knots) & Wave height 2.5-6 metre
Sea State	High to very high. Wind speed 41-02 kmph (22-03 kitols) & Wave height 2.3-6 higher
	Phenomenal: Wind speed >117 kmph (>63 knots) & Wave height >14 metre
	Cyclonic Storm: Wind speed 62-87 kmph (34-47 knots)
	Severe Cyclonic Storm: Wind speed 88-117 kmph (48-63 knots)
Cyclone	Very Severe Cyclonic Storm: Wind speed 118-165 kmph (64 - 89 knots)
	Extremely Severe Cyclonic Storm: Wind speed 166-220 kmph (90 -119 knots)
	Super Cyclone Strom: Wind speed >220 kmph (>119 knots)
	* Red colour warning does not mean "Red Alert", Red colour warning means "Take Action".

Hot and Humid: When maximum temperatures remains 3°C above normal along with the above normal relative humidity.